


FRAME



slim

Aluminium - framed doors with **Charakter**

Profiles for aluframed-glasdoor-hinges, from 13,5 mm width, various shapes.




- Connector for easy-assembling



W1 - Connector for slim profiles, zinc die cast



W3 - Connector for profiles D116 , zinc die cast



- Sealing profile, clear plastic, co-extruded



S1 - Hinge milling


Hinge milling for alu-framed-glasdoor-hinges from the following manufacturers : Blum, Ferrari, FGV, Hettich, Lama, Mepla, Salice, SH

Frame





D 080	W1	S1
--------------	-----------	-----------

The Classic I
19,5 x 21,0 mm,
outside radius 1,5 mm




D 073**W1****S1****The Classic II**


19,5 x 21,0 mm,
outside radius 3,5 mm

**D 148****W1****S1****Slim Passepartout-optic**



19,5 x 21,0 mm, slim profile with
passpartout-optic, visible aluminium only
9,0 mm

**D 010****W1****S1****Groove-design**

27,0 x 18,5 mm, profil with "groove-
design", the visible widest profile with
use of the alu-frame-hinge

**D 116****W3****S1****The Slim**

13,5 x 22,0 mm, the "slim" is only
workable with the special frame-hinge
from "SAUCE". Slimest profile on the
market




wide

Profiles for cup-hinges Ø 35 mm, from 45 mm width.



- Connector for easy-assembly



- Sealing profile, clear plastic, co-extruded





W2 - Steel connector , zinc plated



- Special connector , zinc plated

- We solve every problem for conneting (f.ex.flap stays)
on your demand



- Santopren-seal for profiles D113 + D914



S2 - Hinge milling

- Hinge milling for cup hinge Ø 35mm
□ or Ø 26mm, milling for all types of
hinges screw dimension M4x8mm
countersunk

Frame





D 935

W2

S2

Passepartout I

45 x 21,3 mm, for doors with passpartout-
optic, visible aluminium only 9,0 mm





D 155

W2

S2

Passepartout II

50 x 21,3 mm, for doors with passpartout-
optic, visible aluminium only 9,0 mm




D 111

W2

S2

Passepartout III

50 x 24,0 mm, for doors with passpartout-
optic, visible aluminium 14,9 mm




D 113

W2

S2

The Sealed I

50 x 21,3 mm, as profile D 155 with
additional Santopren-seal which protects
the space between glass and aluminium
from dust and humidity




D 914

W2

S2


The Sealed II

50 x 21,3 mm, for doors with passpartout-
optic, visible aluminium 19,3 mm
(optional combination with profile D 080),
with additional Santopren-seal which
protects the space between glass and
aluminium from dust and humidity



D 075**WZ****S1****The Oldest**

50 x 20,5 mm, profile with falling height
to the centre

[<< Back](#)